

# **SDS – Safety Data Sheet**

## **Global Harmonized System**

Manufacturer's Name: Bridesburg Foundry Company Address: 901 Front Street Whitehall PA, 18052 Emergency Telephone Number: 610-266-0900

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Nickel-Based Steel Castings

**Other Designations:** ASTM (American Society for Testing & Materials) Specification No's., (ACI (Alloy Casting Institute) Alloy Designations – Grades)

ASTM No's.

A494/A494M-84 A743/A743M-84 A744/A744M-84 ACI ALLOY DESIGNATIONS (GRADES) CA – 100, M-35-1, M-35-2, M-30H, M-25S, M-30C, N-12MV, N-7M CZ = 100, M-35-1, M-35-2, N-12M CZ – 100, M-35-1, M-35-2, N-12M

Product Identification (Label Identifier): Monel, 3000 Series Alloys Recommended Use of Chemical and Restrictions on Use: Solid casting; no restrictions

## Section 2: HAZARDS IDENTIFICATION

#### **Classification:**

Castings are metallic articles that do not present hazards in their original form.

#### **Other Information:**

- 1. Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica.
- 2. Fumes from hot processes may contain other compounds with different exposure limits. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Consult Sections 3 & 8 for further information.

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt. %
Carbon (C)	7440-44-0	0.07 - 1.00
Chromium (Cr)	7440-47-3	0 - 1.00
Cobalt (Co)	7440-48-4	0 - 2.5
Copper (Cu)	7440-50-8	1.25 - 33.0
Iron (Fe)	7439-89-6	2.0 - 11.0
Manganese (Mn)	7439-96-5	1.00 - 1.5
Molybdenum (Mo)	7439-98-7	26.0 - 33.0
Nickel (Ni)	7440-02-0	54.7 - 95.0
Niobium (Nb)	7440-03-1	0 - 1.2
Silicon (Si)	7440-21-3	1.00 - 4.5

## Section 4: FIRST AID MEASURES

Inhalation

Not applicable

Skin Contact

No special requirements

Eye Contact

Not applicable

Ingestion

Not applicable

## Section 5: FIRE FIGHTING MEASURES

Flammable Properties Not applicable Extinguishing Media Not applicable Protection of Firefighters Not applicable

## Section 6: ACCIDENTAL RELEASE MEASURES

Not applicable

## Section 7: HANDLING AND STORAGE

#### **Recommended Storage**

No special requirements

#### **Procedures for Handling**

Proper hand and foot protection is recommended.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering Controls**

None required. There are no health hazards from castings in solid form.

Substance	ACGIH TLV mg/m <sup>3</sup>	OSHA PEL mg/m <sup>3</sup>
Carbon (C)	N/E	N/E
Chromium (Cr)	0.5	1
Cobalt (Co)	0.02	N/E
Copper (Cu)	1	1
Iron (Fe)	N/E	N/E
Manganese (Mn)	0.02 (R); 0.1 (I)	5 (C)
Molybdenum (Mo)	N/E	N/E
Nickel (Ni)	1.5 (I)	1
Niobium (Nb)	N/E	N/E
Silicon (Si)		
Total dust	N/E	15
Respirable dust	N/E	5

#### **Supplemental Information**

Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica.

Fumes from hot processes may contain other compounds with different exposure limits than those listed above. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Exposure limits for the most common contaminants are offered as reference. Please consult a competent person for guidance on exposure assessment and controls.

In particular, Hexavalent Chromium is an OSHA Expanded Health Standard, Refer to OSHA 29CFR 1910.1026 – Chromium (VI) for complete requirements.

Substance	ACGIH TLV	OSHA PEL
	mg/m <sup>3</sup>	mg/m <sup>3</sup>
Chromium Compounds (as Cr)		
Chromium (II) inorganic compounds	N/E	0.5
Chromium (III) inorganic compounds	0.5	0.5
Chromium (VI) inorganic compounds, certain water insoluble	0.01	0.005
Chromium (VI) inorganic compounds, water soluble	0.05	0.005
Chromium (VI) all forms and compounds	N/E	0.005
Cobalt (Co)		
Metal dust and fume	N/E	0.1
Elemental and inorganic compounds	0.02	N/E
Copper Compounds		
Fume, as Cu	0.2	0.1
Dusts and mists, as Cu	1	1
Iron Compounds		
Iron oxide $(Fe_2O_3)$ fume	N/E	10
Iron oxide $(Fe_2O_3)$	5(R)	N/E
Molybdenum Compounds (as Mo)		
Insoluble compounds (as Mo)	10 (I); 3 (R)	N/E
Soluble compounds (as Mo)	0.5 (R)	5
Total Dust	N/E	15
Nickel Compounds (as Ni)		
Insoluble, inorganic compounds	0.2(I)	1
Soluble, inorganic compounds	0.1(I)	1
Nickel oxide	0.2(I)	1

#### Terms

All exposure limits referenced above are 8 hour time weighted averages (TWA) unless otherwise noted.

	εε
N/E =	None Established
C =	Ceiling
I =	Inhalable fraction
R =	Respirable fraction
TLV =	Threshold Limit Value/ACGIH (American Conference of Governmental Industrial Hygienists)
PEL =	Permissible Exposure Limit/OSHA
STEL =	Short Term Exposure Limit
$mg/m^3 =$	milligrams per cubic meter

#### **Personal Protection**

Proper hand and foot protection is recommended.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance/Physical State:	Solid, silver gray in color
Odor:	Odorless
Odor Threshold:	Not Applicable

pH: Not Applicable **Melting Point/Freezing Point:** 2744 - 3199°F (1504 - 1704°C) **Boiling Point (°F)** 5000°F (2750°C) for iron **Flash Point:** Not applicable for solid castings Not Applicable **Evaporation Rate:** Flammability: Not flammable **Upper/Lower Flammability:** Not applicable for solid castings Vapor Pressure: Not Applicable Vapor Density: Not Applicable Specific Gravity (relative density): 0.28 lb/in<sup>3</sup> (7.74 g/cm<sup>3</sup>) for cast alloy steels Solubility in Water: Insoluble **Partition Coefficient:** Not Applicable **Auto Ignition Temperature:** Not Applicable Not Applicable **Decomposition Temperature:** Viscosity: Not Applicable

## Section 10: STABILITY AND REACTIVITY

Chemical Stability: Stable Conditions to Avoid: None Reactivity: Not Reactive Incompatible Materials: None Hazardous Decomposition Products: None Possibility of Hazardous Reactions: Not Applicable

## Section 11: TOXICOLOGICAL INFORMATION

#### **Potential Health Effects**

Eye Contact:	None
Skin:	None
Ingestion:	None
Inhalation:	None

#### **Carcinogen Classification of Ingredients**

Ingredient	OSHA	NTP	IARC	Target Organ
Cobalt	NL	NL	2B	Lung
Nickel (metal)	NL	Κ	2B	Lung, Nose

#### Terms

#### **OSHA – Occupational Safety & Health Administration**

#### Y = Listed as a Human Carcinogen

#### NTP - National Toxicology Program

- K = Known to be a Human Carcinogen
- R = Reasonably Anticipated to be a Human Carcinogen (RAHC)

#### IARC - International Agency for Research on Cancer

#### 1 = Carcinogen to Humans

- 2A = Probably Carcinogenic to Humans
- 2B = Possibly Carcinogenic to Humans
- 3 = Unclassifiable as to Carcinogenicity in Humans
- 4 = Probably not Carcinogenic to Humans

#### Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Not Applicable Persistence and Degradability: Not Applicable

## Section 13: DISPOSAL CONSIDERATIONS

Recover or recycle if possible. Dispose of according to federal, state and local regulations. Dust collected from machining, welding, etc. may be classified as a hazardous waste. Consult federal, state and local regulations.

## Section 14: TRANSPORTATION INFORMATION

US Department of Transportation (DOT) - HMR (Hazardous Materials Registration): Not regulated

Canadian Transportation of Dangerous Goods (TDG): Not regulated

UN Shipping Name: Not regulated UN Number: Not regulated Transport Hazard Class: Not regulated Packing Group: Not regulated Environmental Hazards: None Label(s) Required? No Transport in Bulk: Not applicable Special Shipping Information: Not applicable

## Section 15: REGULATORY INFORMATION

#### US - OSHA (Hazard Communication Standard)

Reference 29 CFR 1910.1200 and 1910.1000. A finished casting is an article as defined in the OSHA Hazard Communication Standard 29CFR 1910.1200 (c). Dust or fumes generated by cleaning, machining, grinding, or welding of the casting may produce airborne contaminants, such as chromium, cobalt, copper, iron, manganese, molybdenum, nickel, silicon, and silica.

For hexavalent chromium references see 29 CFR 1910.1026.

#### US – EPA (Toxic Substances Control Act – TSCA)

All components of these products are on the TSCA inventory list or are excluded from listing.

#### US – EPA (SARA Title III)

Releases to the environment of **Chromium, Cobalt, Copper, Manganese** and **Nickel**, may be subject to reporting under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### Canada – WHMIS (Workplace Hazardous Materials Information System)

This SDS has been prepared according to the hazard criteria of the Controlled Product Regulations (CPR) and the SDS contains the information required by the CPR.

#### Canada DSL (Domestic Substance List) Inventory Status

All components of these products are on the DSL Inventory.

#### **CEPA (Canadian Environmental Protection Act)**

Chromium and nickel are on the CEPA Priorities Substances Lists

EINECS No. (European Inventory of Existing Commercial Chemical Substances)

All components of these products are on the EINECS list.

## **RoHS (Restriction of Certain Hazardous Substances) Compliance**

Castings comply with RoHS

## California Proposition 65 Compliance

WARNING: This product contains or produces chemicals known to the State of California to cause cancer and birth defects (or other reproductive harm). (California Health & Safety Code 25248.5 et seq.)

#### **US State Regulatory Information**

Some of the components listed in Section 3 may be covered under specific state regulations.

## Section 16: OTHER INFORMATION

Issue Date: November 2017 Revision Date: None

#### **References:**

IARC Monographs. Overall Evaluation of Carcinogenicity. NIOSH Pocket Guide to Chemical Hazards. "Threshold Limit Values of Chemical Substances in Work Environments" – ACGIH National Toxicity Program (NTP) Reports on Carcinogens

## **Disclaimer:**

The above information is provided for the sole purpose of complying with Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information is given in good faith and is believed to be correct, but without guarantee. We do not resume responsibility for the results of its use.